Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Melanotan 2 - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412261**	Method:	**Full QC Panel**
Lot Number:	**GL-010088**	Analysis Date:	**05/05/2026**
Accession #:	**ACC-2026-1584**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**04/30/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity
Melanotan 2	**99.84%**




Melanotan 2 10mg - GL-010088

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.84%**	%	PASS
Net Peptide Content	Report Only	**10.38**	mg	N/A
Identity (ID)	Melanotan 2	**Confirmed**	-	PASS

HPLC Chromatogram



Representative chromatogram, Conformity V1 (99.82% purity, closest to batch mean of 99.77%)

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.84%	10.38 mg	Confirmed	PASS
Conformity V1	99.82%	10.43 mg	Confirmed	PASS
Conformity V2	99.64%	10.63 mg	Confirmed	PASS
Mean	**99.77%**	**10.48 mg**	—	—
Std Dev	**0.0899%**	**0.1080 mg**	—	—

ILS LABS

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/5/2026

COA #: **COA-2026-412261**
Access Code: **6YGJATQA**
Verify: portal.ils-lab.com/verify/ukFLVaTVU2f_y-Pf
Issued: 5/5/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Melanotan 2 - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412261**	Method:	**Full QC Panel**
Lot Number:	**GL-010088**	Analysis Date:	**05/05/2026**
Accession #:	**ACC-2026-1584**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**04/30/2026**

Scan to verify authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.074 EU/mL**		**PASS**

Certificate Change History — **ILS QA**

Revision 1 – reissued October 30, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 05/05/2026.

Notes & Methodology

1. Date Tested: 05/05/2026. Methods: Purity & Quant (HPLC).
2. The sample was confirmed to be Melanotan 2 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
4. Chromatogram shown is representative: Conformity V1 (99.82% purity, closest to batch mean of 99.77%).

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/5/2026

COA #: **COA-2026-412261**
Access Code: **6YGJATQA**
Verify: portal.ils-lab.com/verify/ukFLVaTVU2f_y-Pf
Issued: 5/5/2026