Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Cjc/Ipa - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412259**	Method:	**Full QC Panel**
Lot Number:	**GL-010106**	Analysis Date:	**05/05/2026**
Accession #:	**ACC-2026-1598**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/01/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity
Cjc/Ipa	99.62%



Cjc/Ipa 10mg - GL-010106

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.62%**	%	PASS
Identity (ID)	Ipamorelin; CJC-1295	**Confirmed**	-	PASS


Heavy Metals (ICP-MS)

Analyte	Specification	Result	Unit	Status
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**0.05**	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	**0.076**	ppm	PASS
Lead (Pb)	<= 1.0 ppm	**0.09**	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	**0.13**	ppm	PASS
Chromium (Cr)	<= 10.0 ppm	**0.54**	ppm	PASS

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	**10.6**	mg	N/A

HPLC Chromatogram



Representative chromatogram, Conformity V2 (99.60% purity, closest to batch mean of 99.55%)

ILS LABS

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/5/2026

COA #: **COA-2026-412259**
Access Code: **AYAH_63I**
Verify: portal.ils-lab.com/verify/tmiAxrNAcngFgMJC
Issued: 5/5/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Cjc/Ipa - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412259**	Method:	**Full QC Panel**
Lot Number:	**GL-010106**	Analysis Date:	**05/05/2026**
Accession #:	**ACC-2026-1598**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/01/2026**

Scan to verify authenticity at ils-lab.com

HPLC Conformity Testing Results (3 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.62%	10.6 mg	Confirmed	**PASS**
Conformity V1	99.42%	10.48 mg	Confirmed	**PASS**
Conformity V2	99.60%	10.25 mg	Confirmed	**PASS**
Mean	**99.55%**	**10.44 mg**	—	—
Std Dev	**0.0899%**	**0.1452 mg**	—	—

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.118 EU/mL**		**PASS**

Certificate Change History — **ILS QA**

Revision 1 – reissued October 30, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 05/05/2026.

Notes & Methodology

1. Date Tested: 05/05/2026. Methods: Blend Purity & Quant (HPLC); Heavy Metals (ICP-MS); Additional Tests.
2. The sample was confirmed to be Cjc/Ipa by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Chromatogram shown is representative: Conformity V2 (99.60% purity, closest to batch mean of 99.55%).

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/5/2026

COA #: **COA-2026-412259**
Access Code: **AYAH_63I**
Verify: portal.ils-lab.com/verify/tmiAxrNAcngFgMJC
Issued: 5/5/2026