Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Glow - 70mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412457**	Method:	**Full QC Panel**
Lot Number:	**GL-010115**	Analysis Date:	**05/15/2026**
Accession #:	**ACC-2026-2325**	Appearance:	**Good**
Concentration:	**70mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/11/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity	
Glow	99.70%	Fentanyl Free



Glow 70mg - GL-010115

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.70%**	%	PASS
Net Blend Peptide Content	Report Only	**72.16**	mg	N/A
-- GHK-Cu (72%)		*51.96*	*mg*	
-- BPC-157 (14.2%)		*10.25*	*mg*	
-- TB-4 (13.8%)		*9.96*	*mg*	
Identity (ID)	GHK-CU + BPC-157 + TB-4	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

Heavy Metals (ICP-MS)

Analyte	Specification	Result	Unit	Status
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**0.079 ppm**	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	**0.152 ppm**	ppm	PASS
Lead (Pb)	<= 1 ppm	**0.077 ppm**	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	**0.073 ppm**	ppm	PASS
Chromium (Cr)	<= 10 ppm	**0.889 ppm**	ppm	PASS

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412457**
Access Code: **0B5MQZSJ**
Verify: portal.ils-lab.com/verify/d9P9jfpq--mYdqjq
Issued: 5/15/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Glow - 70mg


PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412457**	Method:	**Full QC Panel**
Lot Number:	**GL-010115**	Analysis Date:	**05/15/2026**
Accession #:	**ACC-2026-2325**	Appearance:	**Good**
Concentration:	**70mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/11/2026**

Scan to verify authenticity at ils-lab.com

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.61% purity, closest to batch mean of 99.66%)

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.61%	71.84 mg	Confirmed	**PASS**
Conformity V1	99.70%	72.16 mg	Confirmed	**PASS**
Mean	**99.66%**	**72.00 mg**	—	—
Std Dev	**0.0450%**	**0.1600 mg**	—	—

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**0.056 EU/mL**		**PASS**

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412457**
Access Code: **0B5MQZSJ**
Verify: portal.ils-lab.com/verify/d9P9jfpq--mYdqjq
Issued: 5/15/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Glow - 70mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412457**	Method:	**Full QC Panel**
Lot Number:	**GL-010115**	Analysis Date:	**05/15/2026**
Accession #:	**ACC-2026-2325**	Appearance:	**Good**
Concentration:	**70mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/11/2026**

Scan to verify authenticity at ils-lab.com

Certificate Change History

ILS QA

Revision 1 – reissued October 30, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 05/15/2026.

Notes & Methodology

1. Date Tested: 05/15/2026. Methods: Purity & Quant (HPLC); Heavy Metals (ICP-MS).
2. The sample was confirmed to be Glow by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu 72%, BPC-157 14.2%, TB-4 13.8%). All components confirmed present by HPLC identity testing.
4. Chromatogram shown is representative: Dedicated V0 (99.61% purity, closest to batch mean of 99.66%).

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412457**
Access Code: **0B5MQZSJ**
Verify: portal.ils-lab.com/verify/d9P9jfpq--mYdqjq
Issued: 5/15/2026