Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 / Ipamorelin - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412423**	Method:	**Full QC Panel**
Lot Number:	**GL-010119**	Analysis Date:	**05/14/2026**
Accession #:	**ACC-2026-2370**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/12/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity	
CJC-1295 / Ipamorelin	**99.89%**	Fentanyl Free



CJC-1295 / Ipamorelin 10mg - GL-010119


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.89%**	%	PASS
Identity (ID)	CJC-1295; Ipamorelin	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	**10.48**	mg	N/A

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.88% purity, closest to batch mean of 99.88%)

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412423**
Access Code: **MTMXYV5R**
Verify: portal.ils-lab.com/verify/njD61wuX7q93bF-a
Issued: 5/15/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 / Ipamorelin - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412423**	Method:	**Full QC Panel**
Lot Number:	**GL-010119**	Analysis Date:	**05/14/2026**
Accession #:	**ACC-2026-2370**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/12/2026**

Scan to verify authenticity at ils-lab.com

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.88%	10.51 mg	Confirmed	**PASS**
Conformity V1	99.89%	10.48 mg	Confirmed	**PASS**
Mean	**99.88%**	**10.50 mg**	—	—
Std Dev	**0.0050%**	**0.0150 mg**	—	—

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Unit	Status
Sterility (PCR)	No Growth	**No Growth**	-	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Unit	Status
Endotoxin (USP <85>)	< 0.25 EU/mL	**NMT 0.05 EU/mL**		**PASS**

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412423**
Access Code: **MTMXYV5R**
Verify: portal.ils-lab.com/verify/njD61wuX7q93bF-a
Issued: 5/15/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
This certificate relates only to the sample(s) tested.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 / Ipamorelin - 10mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412423**	Method:	**Full QC Panel**
Lot Number:	**GL-010119**	Analysis Date:	**05/14/2026**
Accession #:	**ACC-2026-2370**	Appearance:	**Good**
Concentration:	**10mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/12/2026**

Scan to verify authenticity at ils-lab.com

Certificate Change History — **ILS QA**

Revision 1 – reissued October 30, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 05/15/2026.

Notes & Methodology

1. Date Tested: 05/14/2026. Methods: Blend Purity & Quant (HPLC); Additional Tests.
2. The sample was confirmed to be CJC-1295 / Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or route-of-administration standard.
4. Chromatogram shown is representative: Dedicated V0 (99.88% purity, closest to batch mean of 99.88%).

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/15/2026

COA #: **COA-2026-412423**
Access Code: **MTMXYV5R**
Verify: portal.ils-lab.com/verify/njD61wuX7q93bF-a
Issued: 5/15/2026