Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

FG2-T - 30mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412616**	Method:	**Full QC Panel**
Lot Number:	**GL-010120**	Analysis Date:	**05/22/2026**
Accession #:	**ACC-2026-2728**	Appearance:	**Good**
Concentration:	**30mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/18/2026**

Scan to verify authenticity at ils-lab.com

Identity	Purity	
FG2-T	99.53%	Fentanyl Free




FG2-T 30mg - GL-010120

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Purity (HPLC)	>= 95.0%	**99.53%**	%	PASS
Net Peptide Content	Report Only	**31.64**	mg	N/A
Identity (ID)	Tirzepatide	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.53% purity, closest to batch mean of 99.47%)

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.53%	31.64 mg	Confirmed	PASS
Conformity V1	99.41%	30.87 mg	Confirmed	PASS
Mean	**99.47%**	**31.26 mg**	—	—
Std Dev	**0.0600%**	**0.3850 mg**	—	—

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/24/2026

COA #: **COA-2026-412616**
Access Code: **YO0MLEBY**
Verify: portal.ils-lab.com/verify/os0Rl6Im9Gz5Gw0Q
Issued: 5/24/2026

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

FG2-T - 30mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412616**	Method:	**Full QC Panel**
Lot Number:	**GL-010120**	Analysis Date:	**05/22/2026**
Accession #:	**ACC-2026-2728**	Appearance:	**Good**
Concentration:	**30mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/18/2026**

Scan to verify authenticity at ils-lab.com

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**0.057 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Certificate Change History — **ILS QA**

Revision 1 – reissued October 30, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 05/24/2026.

Notes & Methodology

1. Date Tested: 05/22/2026. Methods: Purity & Quant (HPLC).
2. The sample was confirmed to be FG2-T by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin acceptance limits are product-specific. Results reported for client evaluation.
5. Chromatogram shown is representative: Dedicated V0 (99.53% purity, closest to batch mean of 99.47%).

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
5/24/2026

COA #: **COA-2026-412616**
Access Code: **YO0MLEBY**
Verify: portal.ils-lab.com/verify/os0Rl6Im9Gz5Gw0Q
Issued: 5/24/2026