Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

FG3-R - 20mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412626**	Method:	**Full QC Panel**
Lot Number:	**GL-010127**	Analysis Date:	**05/22/2026**
Accession #:	**ACC-2026-2774**	Appearance:	**Good**
Concentration:	**20mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/19/2026**

Scan to verify authenticity at ils-lab.com

Identity	Peptide Purity	
FG3-R	99.29%	Fentanyl Free



FG3-R 20mg - GL-010127


Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.29%**	%	PASS
Net Peptide Content	Report Only	**20.49**	mg	N/A
Identity (ID)	Retatrutide	**Confirmed**	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	PASS

Heavy Metals (ICP-MS)

Analyte	Specification	Result	Unit	Status
Heavy Metals				
Arsenic (As)	<= 1.5 ppm	**0.0801 ppm**	ppm	PASS
Cadmium (Cd)	<= 0.5 ppm	**0.0572 ppm**	ppm	PASS
Lead (Pb)	<= 1 ppm	**0.0712 ppm**	ppm	PASS
Mercury (Hg)	<= 1.5 ppm	**0.124 ppm**	ppm	PASS
Chromium (Cr)	<= 10 ppm	**0.197 ppm**	ppm	PASS

HPLC Chromatogram



Representative chromatogram, Dedicated V0 (99.29% purity, closest to batch mean of 99.31%)

Dr. Greg Kalyuzhny
Lab Director
5/24/2026

COA #: **COA-2026-412626**
Access Code: **DTYDJ4K4**
Verify: portal.ils-lab.com/verify/4KSka2eKMZsRhsbo
Issued: 5/24/2026

ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

FG3-R - 20mg

PASS

Tested for: Glow Aminos
www.glowaminos.com

COA #:	**COA-2026-412626**	Method:	**Full QC Panel**
Lot Number:	**GL-010127**	Analysis Date:	**05/22/2026**
Accession #:	**ACC-2026-2774**	Appearance:	**Good**
Concentration:	**20mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Received:	**05/19/2026**

Scan to verify authenticity at ils-lab.com

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.29%	20.49 mg	Confirmed	**PASS**
Conformity V1	99.33%	21.29 mg	Confirmed	**PASS**
Mean	**99.31%**	**20.89 mg**	—	—
Std Dev	**0.0200%**	**0.4000 mg**	—	—

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 05/29/2026. Methods: Purity & Quant (HPLC); Heavy Metals (ICP-MS).
2. The sample was confirmed to be FG3-R by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
5. Chromatogram shown is representative: Dedicated V0 (99.29% purity, closest to batch mean of 99.31%).

Dr. Greg Kalyuzhny
Lab Director
5/24/2026

COA #: **COA-2026-412626**
Access Code: **DTYDJ4K4**
Verify: portal.ils-lab.com/verify/4KSka2eKMZsRhsbo
Issued: 5/24/2026