

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Adamax/Adalank - 150/150mcg/30mL

Tested for: NextGen Peptides
www.NGpeptide.com

COA #: COA-2026-LEPJOR
Lot Number: ADAL-01
Accession #: ACC-2026-16863
Labeled Content: 150/150mcg/30mL

Method: Full QC Panel

Analysis Date: 08/27/2026
Appearance: Good
Sample Matrix: Liquid/Solution
Date Received: 08/20/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: YSUQL4JM

Identity

Adamax/Adalank



Adamax/Adalank 150/150mcg/30mL - ADAL-01

Full QC Panel

Analyte	Specification	Result	Unit	Status
Net Peptide Content	As Labeled	150/150mcg/30mL	mg	N/A
Identity (HPLC-RTM)	Adalank; Substrate Matrix; Adamax (M=1032)	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1.0 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10.0 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	1.997 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

- 1. Date Tested: 08/27/2026. Methods: Full QC Panel.
- 2. The sample was confirmed to be Adamax/Adalank by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
- 4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
- 5. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- 6. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
8/27/2026

COA #: COA-2026-LEPJOR
Access Code: YSUQL4JM
Verify: portal.ils-lab.com/verify/TV0dQNnzmLJT2z8x
Issued: 8/27/2026