

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 W/DAC - 5mg

Tested for: Northline Labs

PASS

COA #: COA-2026-ZYF8IA
Lot Number: NLL-5723262
Accession #: ACC-2026-6303
Labeled Content: 5mg

Analysis Date: 07/07/2026
Appearance: Good
Sample Matrix: Lyophilized
Vial Size: 3mL
Date Received: 06/23/2026



Scan to verify
authenticity at ils-lab.com
Access Code: TUYZ3RC6

Method: Purity & Quant (HPLC), Endotoxin (USP <85>)

Identity

CJC-1295 W/DAC

Peptide Purity

99.40%




Fentanyl
Free

Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.40%	%	PASS
Identity (HPLC-RTM)	CJC-1295	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



CJC-1295 W/DAC 5mg - NLL-5723262: UV Chromatogram

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	5.26	mg	N/A

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	0.144 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/7/2026

COA #: COA-2026-ZYF8IA
Access Code: TUYZ3RC6
Verify: [portal.ils-lab.com/verify/rOmUc_QLOXLodSMP](portal.ils-lab.com/verify/rOmUc_QLOXLodSMP)
Issued: 7/7/2026

Notes & Methodology

- 1. Date Tested: 07/07/2026. Methods: Purity & Quant (HPLC); Additional Tests.
- 2. The sample was confirmed to be CJC-1295 W/DAC by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
- 4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.




Dr. Greg Kalyuzhny
Lab Director
7/7/2026

COA #: **COA-2026-ZYF8IA**
Access Code: **TUYZ3RC6**
Verify: [portal.ils-lab.com/verify/rOmUc_QLOXLodSMP](portal.ils-lab.com/verify/rOmUc_QLOXLodSMP)
Issued: 7/7/2026