Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Adamax - 10mg

Tested for: Vault Labs Research
Www.vaultlabsresearch.net

PASS

COA #:	**COA-2026-FAPALJ**	Analysis Date:	**07/25/2026**
Lot Number:	**VLR-ADX10-0726**	Appearance:	**Good**
Accession #:	**ACC-2026-11438**	Sample Matrix:	**Lyophilized**
Labeled Content:	**10mg**	Volume:	**3mL**
		Date Received:	**07/21/2026**

Scan to verify authenticity at ils-lab.com
Access Code: FSKDDQ77


Method: **Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity	
Adamax	**99.38%**	**Fentanyl Free**

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.38%**	%	**PASS**
Net Peptide Content	Report Only	**10.67**	mg	N/A
Identity (HPLC-RTM)	Adamax	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Adamax 10mg - VLR-ADX10-0726: UV Chromatogram

Notes & Methodology

1. Date Tested: 07/25/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Adamax by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
7/25/2026

COA #: **COA-2026-FAPALJ**
Access Code: **FSKDDQ77**
Verify: portal.ils-lab.com/verify/CbyX2TVAT-cVHu3q
Issued: 7/25/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. This certificate relates only to the sample(s) tested.