Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Melanotan II - 10mg

Tested for: Amino Club
aminoclub.com

PASS

COA #:	**COA-2026-2XYK7J**	Analysis Date:	**07/30/2026**
Lot Number:	**MII0002**	Appearance:	**Good**
Accession #:	**ACC-2026-9320**	Sample Matrix:	**Lyophilized**
Labeled Content:	**10mg**	Volume:	**3mL**
		Date Received:	**07/09/2026**

Scan to verify authenticity at ils-lab.com
Access Code: ZH29S9CD

Method: **Full QC Panel**

Identity	Peptide Purity	
Melanotan II	**99.83%**	**Fentanyl Free**




Melanotan II 10mg - MII0002

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.83%**	%	**PASS**
Net Peptide Content	Report Only	**10.48**	mg	N/A
Identity (HPLC-RTM)	Melanotan II	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Melanotan II 10mg - MII0002: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	ND	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	ND	**PASS**
Lead (Pb)	NMT 1.0 ppm	ND	**PASS**
Mercury (Hg)	NMT 1.5 ppm	ND	**PASS**
Chromium (Cr)	NMT 10.0 ppm	ND	**PASS**

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
7/30/2026

COA #: **COA-2026-2XYK7J**
Access Code: **ZH29S9CD**
Verify: portal.ils-lab.com/verify/a_GRwo9v59DNaoxl
Issued: 7/30/2026

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Certificate Change History **ILS QA**

Revision 1 – reissued October 30, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 07/30/2026.

Notes & Methodology

1. Date Tested: 07/30/2026. Methods: Full QC Panel.
2. The sample was confirmed to be Melanotan II by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.

ILS LABS

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
7/30/2026

COA #: **COA-2026-2XYK7J**
Access Code: **ZH29S9CD**
Verify: portal.ils-lab.com/verify/a_GRwo9v59DNaoxl
Issued: 7/30/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. This certificate relates only to the sample(s) tested.