Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Pinealon - 10mg

Tested for: Amino Club
aminoclub.com

PASS

COA #:	**COA-2026-WZ2M3U**	Analysis Date:	**08/12/2026**
Lot Number:	**PIN0001**	Appearance:	**Good**
Accession #:	**ACC-2026-14823**	Sample Matrix:	**Lyophilized**
Labeled Content:	**10mg**	Volume:	**3mL**
		Date Received:	**08/06/2026**

Scan to verify authenticity at ils-lab.com
Access Code: AJ9V3F7L

Method: **Full QC Panel**

Identity	Peptide Purity	
Pinealon	**99.52%**	**Fentanyl Free**




Pinealon 10mg - PIN0001

Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.52%**	%	**PASS**
Net Peptide Content	Report Only	**10.59**	mg	N/A
Identity (HPLC-RTM)	Pinealon	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.52%	10.59 mg	Confirmed	**PASS**
Conformity V1	99.05%	10.64 mg	Confirmed	**PASS**
Mean	**99.28%**	**10.62 mg**	—	—
Std Dev	**0.2350%**	**0.0250 mg**	—	—

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
8/12/2026

COA #: **COA-2026-WZ2M3U**
Access Code: **AJ9V3F7L**
Verify: portal.ils-lab.com/verify/PuYts2fm50jlNP2Q
Issued: 8/12/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
This certificate relates only to the sample(s) tested.

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1.0 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10.0 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**0.139 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Certificate Change History **ILS QA**

Revision 1 – reissued October 30, 2026
Certificate statement updated. Test results are unchanged. Supersedes the original issued 08/12/2026.

Notes & Methodology

1. Date Tested: 08/12/2026. Methods: Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be Pinealon by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Chromatogram shown is representative: Dedicated V0 (99.52% purity, closest to batch mean of 99.28%).

ILS LABS

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
8/12/2026

COA #: **COA-2026-WZ2M3U**
Access Code: **AJ9V3F7L**
Verify: portal.ils-lab.com/verify/PuYts2fm50jlNP2Q
Issued: 8/12/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. This certificate relates only to the sample(s) tested.