Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 / Ipamorelin - 20mg

Tested for: Peptides Optimized

PASS

Scan to verify authenticity at ils-lab.com
Access Code: H8LEZ8ZN

COA #:	**COA-2026-BPUTDN**	Analysis Date:	**10/17/2026**
Lot Number:	**CP20-J02**	Appearance:	**Good**
Labeled Content:	**20mg**	Volume:	**3mL**
Volume:	**3mL**	Date Received:	**10/12/2026**

Method: **Blend Purity, Identity & Quantitation (HPLC)**

Identity	Peptide Purity	
CJC-1295 / Ipamorelin	**99.81%**	Fentanyl Free




CJC-1295 / Ipamorelin 20mg - CP20-J02

Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.81%**	%	**PASS**
Net Blend Peptide Content	Report Only	**20.75**	mg	N/A
-- CJC1295 No Dac		*10.28*	*mg*	
-- Ipamorelin		*10.47*	*mg*	
Identity (HPLC-RTM)	CJC1295 NO DAC + IPAMORELIN	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



CJC-1295 / Ipamorelin 20mg - CP20-J02: UV Chromatogram

Notes & Methodology

1. Date Tested: 10/17/2026. Methods: Blend Purity, Identity & Quantitation (HPLC).
2. The sample was confirmed to be CJC-1295 / Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
4. Per-component content determined by individual peak integration. Not all labeled components may be present.
5. Quality System: ILS Laboratories operates an ISO/IEC 17025 quality management system. Peptide testing is performed for Research Use Only.
6. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.

Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
10/17/2026

COA #: **COA-2026-BPUTDN**
Access Code: **H8LEZ8ZN**
Verify: portal.ils-lab.com/verify/hJkk2D31i1pvwY6c
Issued: 10/17/2026